

Literatur

- [1] L. H. Thomas, Proc. Camb. Phil. Soc. **23**, 195 (1926).
- [2] E. Fermi, Z. Phys. **48**, 73 (1928).
- [3] M. Brack und R. K. Bhaduri: *Semiclassical Physics*
Frontiers in Physics, Vol. 96 (Addison-Wesley, Reading, 1997);
revidierte Paperback-Ausgabe (Westview Press, Bolder, 2003).
UBR: 84 UK 4000 B797
- [4] M. Brack: “Extended Thomas-Fermi model at finite temperature”,
Phys. Rev. Lett. **53**, 119 (1984); *ibid.* **54**, 851 (1985).
- [5] M. Brack and M. V. N. Murthy: “Harmonically trapped fermion gases:
exact and asymptotic results in arbitrary dimensions”,
J. Phys. A **36**, 1111 (2003).
- [6] R. M. Dreizler and E. K. U. Gross: *Density Functional Theory*
(Springer-Verlag, Berlin, 1990).
- [7] P. Hohenberg and W. Kohn: “Inhomogeneous electron gas”,
Phys. Rev. **136**, B864 (1964).
Für allgemeine Beweise des HK-Theorems siehe [6].
- [8] W. Kohn and L. J. Sham: “Self-consistent equations including exchange
and correlation effects”, Phys. Rev. **140**, A1133 (1965).
- [9] A. S. Davydov: *Quantum Mechanics* (Pergamon Press, 1965).
Existiert auch in deutscher Übersetzung.
- [10] E. H. Lieb: “Thomas-Fermi and related theories of atoms and molecules”,
Rev. Mod. Phys. **53**, 603 (1981). Dieser Übersichtsartikel enthält auch eine
gute Einführung in das Thomas-Fermi-Modell.
- [11] R. K. Bhaduri, M. Brack, H. Gräf, P. Schuck: “A semiclassical approximation
to the bound-state Coulomb problem”, J. Physique-Letters 41, L-347
(1980); R. K. Bhaduri, M. Brack: “Atomic ground-state energies”, Can. J.
Phys. **58**, 1684 (1980).
- [12] M. Abramowitz, I. A. Stegun: *Handbook of Mathematical Functions*
(Dover Publications, New York, 9th printing, 1970).
UBR: 84 SH 500 A161
- [13] J. Bartel, M. Brack, M. Durand: “Extended Thomas-Fermi theory at finite
temperature”, Nucl. Phys. A **445**, 263 (1985).
- [14] C. F. v. Weizsäcker, Z. Phys. **96**, 431 (1935).
- [15] Für die Theorie der Laplace-Transformationen siehe:
B. Van der Pol and H. Bremmer: *Operational Calculus*
(Cambridge University Press, Cambridge, 1955).

- [16] E. Wigner: "On the quantum correction for thermodynamic equilibrium", Phys. Rev. **40**, 749 (1932);
 J. G. Kirkwood: "Quantum statistics of almost classical assemblies", Phys. Rev. **44**, 31 (1933).
- [17] B. K. Jennings, R. K. Bhaduri and M. Brack: "Semiclassical approximation in a realistic one-body potential", Phys. Rev. Lett. **34**, 228 (1975); Nucl. Phys. A **253**, 29 (1975).
- [18] M. Brack and S. R. Jain: "Analytical tests of Gutzwiller's trace formula for harmonic-oscillator potentials", Phys. Rev. A **51**, 3462 (1995).
- [19] M. Brack and B. van Zyl: "Simple analytical particle and kinetic-energy densities for a dilute fermionic gas in a d -dimensional harmonic trap", Phys. Rev. Lett. **86** 1574 (2001).
- [20] R. O. Jones and O. Gunnarsson: "The density functional formalism, its applications and prospects", Rev. Mod. Phys. **61**, 689 (1989).
 Dieser Übersichtsartikel gibt auch eine hübsche Einführung in die DFT und viele Anwendungen!
- [21] C. Guet and M. Brack: "Validity of the semiclassical kinetic energy density functional for deformed nuclear shapes", Z. Phys. A **297**, 247 (1980).
- [22] D. R. Murphy and W. P. Wang: "Comparative study of the gradient expansion of the atomic kinetic energy functional - neutral atoms", J. Chem. Phys. **72**, 429 (1980).
- [23] M. Brack, C. Guet, and H.-B. Håkansson: "Selfconsistent semiclassical description of average nuclear bulk properties – a link between microscopic and macroscopic models", Phys. Rep. **123**, 275 (1985).
- [24] M. Centelles, M. Pi, X. Viñas, F. Garcias, and M. Barranco: "Self-consistent extended Thomas-Fermi calculations in nuclei", Nucl. Phys. A **510**, 397 (1990).
- [25] M. Brack: "Multipole vibrations of small alkali metal spheres in a semiclassical description", Phys. Rev. B **39**, 3533 (1989).
- [26] E. Engel and J. P. Perdew: "Theory of metallic clusters: Asymptotic size dependence of electronic properties", Phys. Rev. B **43**, 1331 (1991).
- [27] M. Seidl and M. Brack: "Liquid drop model for charged spherical metal clusters", Ann. Phys. (N. Y.) **245**, 275 (1996).
- [28] D. R. Murphy: "Sixth-order term of the gradient expansion of the kinetic-energy density functional", Phys. Rev. A **24**, 1682 (1981).
- [29] E. P. Gross, Nuovo Cimento **20**, 454 (1961);
 L. P. Pitaevskii, Sov. Phys. JETP **13**, 451 (1961).
- [30] L. P. Pitaevskii and S. Stringari: *Bose-Einstein condensation* (Clarendon Press, Oxford, 2003).
 UBR: 84 UR 2000 P678

- [31] C. J. Pethick and H. Smith: *Bose-Einstein Condensation in Dilute Gases* (Cambridge University Press, Cambridge, U. K., 2002).
UBR: 84 UR 2000 P486
- [32] W. H. Press, B. P. Flannery, S. A. Teukolsky, W. T. Vetterling: *Numerical Recipes: The art of scientific computing* (Cambridge Univ. Press, 1989).
UBR: 84 SK 900 P935
- [33] H. P. Baltes and E. R. Hilf: *Spectra of finite systems* (BI Wissenschaftsverlag, Mannheim, 1976).
- [34] M. V. Berry and C. J. Howls: "High orders of Weyl series for quantum billiards: resurgence of periodic orbits, and the Stokes phenomenon", Proc. Math. Phys. Sci. **447** (A), 527 (1994).
- [35] C. J. Howls and S. A. Trasler: "High orders of Weyl series: resurgence for odd balls", J. Phys. A **32**, 1487 (1999).
- [36] M. Kac, Am. Math. Monthly, **73** Pt. II, 1 (1966).
- [37] C. Gordon, D. Webb, and S. Wolpert, Invent. Math. **110**, 1 (1992); s.a. (<http://www.ams.org/new-in-math/cover/199706.html>), wo u.A. eine Animation der entsprechenden schwingenden Membran zu sehen ist.
- [38] G. Tanner, K. Richter, and J. M. Rost: "The theory of two-electron atoms: between ground state and complete fragmentation", Rev. Mod. Phys. **72**, 497 (2000).
- [39] A. Einstein, Verhandl. d. Dtsch. Phys. Ges. **19**, 82 (1917).
- [40] G. Wentzel, Z. Phys. **38**, 518 (1926); H. Kramers, Z. Phys. **39**, 828 (1926); L. Brillouin, Compt. Rend. **183**, 24 (1926).
- [41] R. E. Langer: "On the connection formulas and the solutions of the wave equation", Phys. Rev. **51**, 669 (1937).
- [42] M. Brack: *Nichtlineare Dynamik*, Vorlesungsskript (Universität Regensburg, 2001-2004), abrufbar auf: (<http://homepages.uni-regensburg.de/brm04014/notes/nlindyn.html>).
- [43] L. Brillouin, J. Phys. Radium **7**, 353 (1926); J. B. Keller, Ann. Phys. (N. Y.) **4**, 180 (1958).
- [44] M. C. Gutzwiller: "Periodic orbits and classical quantization conditions", J. Math. Phys. **12**, 343 (1971), und darin zitierte frühere Arbeiten.
- [45] R. Balian and C. Bloch: "Distributions of eigenfrequencies for the wave equation in a finite domain: III. Eigenfrequency density oscillations", Ann. Phys. (N. Y.) **69**, 76 (1972).
- [46] M. V. Berry and M. Tabor: "Closed orbits and the regular bound spectrum", Proc. R. Soc. Lond. A **349**, 101 (1976).
- [47] M. C. Gutzwiller: *Chaos in Classical and Quantum Mechanics* (Springer Verlag, New York, 1990); *Quantum Chaos*, Scientific American, January 1992, p. 78.

- [48] Siehe z.B. E. C. Titchmarsh: *Introduction to the theory of Fourier Integrals* (Second edition, Clarendon Press, Oxford, 1948), p. 60.
- [49] M. Brack and S. R. Jain: “Analytical tests of Gutzwiller’s trace formula for harmonic-oscillator potentials”, Phys. Rev. A **51**, 3462 (1995).
- [50] A. Erdélyi: *Asymptotic expansions* (Dover, New York, 1956).
UBR: 80 SK 520 E66
- [51] R. Wong: *Asymptotic Approximation of Integrals* (Academic Press, San Diego, 1989).
UBR: 80 SK 470 W872

UBR = Universitäts-Bibliothek Regensburg (mit Signatur)